

nelux
PRODUCING YOUR DREAMS

2025

Nelux Architectural Lighting Products
Whatsapp: +852 5349 0724
sales@nelux.com.hk
www.nelux.com.hk

Head office: China, HK, Wanchai,
Central Plaza, 18 Harbour road, 32/F, Office 3208
Workhouse: China, HK, Tuen Mun, Sun Hing Industrial Building, 22 Kin Fat Street, 11th Floor

Tel:+852 28600042
Fax:+852 28600066
WeChat: neluxury

NELUX ARCHITECTURAL LIGHTING - LED RECESSED SPOT LIGHT 2025

nelux
Producing your dreams

LED Surface Spot Light with rod

An abstract graphic consisting of several overlapping circles of varying sizes, rendered in a light gray outline style. The circles are scattered across the right page, with some overlapping each other and others being separate.

ARCHITECTURAL & COMMERCIAL LIGHTING

**NELUX CUSTOMISING NELUX
PRODUCTOS A MEDIDA**



**MODERN DESIGN
REDECORATE YOUR SPACE**

SMART
MODERN
FORM
+
LONG
LIFESPAN
+
LIGHTING
SOLUTIONS

ABOUT US

13 years ago a group of us bonded together with the bright idea to bring unique design and top quality led lighting system to market. All for architectural and commercial lighting products reflect the core of modularity, convenience and affordability.

Nelux a tech-style luminaire firm that focuses on innovation. These innovation based on our deep cooperation with lighting designers, we know what you need, we know how to bring a better lighting in your space.

Working with us comes with some awesome perks

INNOVATIVE TECHNOLOGY:



With years deep communication with designers, We continuously strive to bring the latest lighting components and technological innovations to LED lighting products

COMPREHENSIVE DATASHEET SUPPORT:

In Nelux, we always think about how to help our customers finish their work, see what we can do for you, Lighting design, IES Files, High resolution photos, You just sent us DWG file, we will work for you with a experience team

CUSTOMIZATION:


With a wide variety of marketing content from catalogue choose, if customers still need a special or unique design for lighting, our global sales team will work with you to user in a customization lighting solution for your customers.




Code	Power	Lumen	Beam angle	CCT	CRI
NL0697A-7W	7W	3000K: 567.31Lm	15°	3000K	≥ 90
		4000K: 582.25Lm	24°	4000K	
		5000K: 590.23Lm	38°	5000K	
NL0697A-12W	12W	3000K: 972.23Lm	15°	3000K	≥ 90
		4000K: 992.38Lm	24°	4000K	
		5000K: 1008.21Lm	38°	5000K	

ErP CE CB RoHS IES file

Dimmable: TRIAC



2*7W






2*12W


Code	Power	Lumen	Beam angle	CCT	CRI
NL0697A-2*7W	14W	3000K: 1133.21Lm	15°	3000K	≥ 90
		4000K: 1162.31Lm	24°	4000K	
		5000K: 1170.50Lm	38°	5000K	
NL0697A-2*12W	24W	3000K: 2450Lm	15°	3000K	≥ 90
		4000K: 2462Lm	24°	4000K	
		5000K: 2468Lm	38°	5000K	

ErP CE CB RoHS IES file


Dimmable: TRIAC



Code	Power	Lumen	Beam angle	CCT	CRI
NL0697A-7W	7W	3000K: 567.31Lm 4000K: 582.25Lm 5000K: 590.23Lm	15° 24° 38°	3000K 4000K 5000K	≥ 90
NL0697A-12W	12W	3000K: 972.23Lm 4000K: 992.38Lm 5000K: 1008.21Lm	15° 24° 38°	3000K 4000K 5000K	≥ 90



2*7W



2*12W

Code	Power	Lumen	Beam angle	CCT	CRI
NL0697A-2*7W	14W	3000K: 1133.21Lm	15°	3000K	≥ 90
		4000K: 1162.31Lm	24°	4000K	
		5000K: 1170.50Lm	38°	5000K	
NL0697A-2*12W	24W	3000K: 1945.28Lm	15°	3000K	≥ 90
		4000K: 1995.30Lm	24°	4000K	
		5000K: 2008.11Lm	38°	5000K	

ErP CE CB RoHS IES file

Dimmable:

THANK YOU

NELUX (HK) INTERNATIONAL,TLD

sales@nelux.com.hk

Head Office +852 28600042

Workhouse whatsapp +852 5349 0724