


Three color temperature adjustment, Touch stepless dimming, With USB socket

BL-1855


Power: 8W LED (included)
Voltage: AC100-240V, DC13.5V

Colour Temp: 3000K-4000K-6000K

Lumen: 480 Max CRI: ≥80a



The USB socket can be used for charging your phone,camera,pad and laptop.







Portected by patent, if initated will be investingated Design patent certificate number: 202030089800.1

Subject to the color in production at that time, if the colour of product above has been changed.



Multi-mode color temperature adjustment, Touch stepless dimming, With LED indicator light

BL-1293

Power: 10W LED (included)
Voltage: AC100-240V, DC12V
Colour Temp: 3000K-4000K-6000K

Lumen: 600 Max CRI: ≥80a

LED Instruction




Leisure mode working mode reading mode



Portected by patent, if initated will be investingated Design patent certificate number: 202030090253.9

Multi-mode color temperature adjustment, Touch stepless dimming


BL-1293-B




Lumen: 600 Max CRI: ≥80a



Leisure mode working mode reading mode



Metallic Texture







Three color temperature adjustment, Mechanical Switch

BL-1293-E

Power: 10W LED (included) Voltage: AC100-240V, DC12V






both desk lamp & clip lamp is available

Mechanical Switch Stepless Dimming



Three color temperature adjustment slightly touch





Electro plating surface finishing









Silver White



Multi-mode color temperature adjustment, Touch stepless dimming, With LED indicator light

BL-1295

Power: 10W LED (included)
Voltage: AC100-240V, DC12V
Colour Temp: 3000K-4000K-6000K

Lumen: 600 Max CRI: ≥80a



LED Instruction




Leisure mode

working mode


reading mode



Multi angle rotation



Three color temperature adjustment



Portected by patent, if initated will be investingated Design patent certificate number: 202030449443.5

it initated will be investingated

Subject to the color in production at that time, if
the colour of product above has been changed.



Multi-mode color temperature adjustment, Touch stepless dimming, With LED indicator light


BL-1105

Power: 10W LED (included) Voltage: AC100-240V, DC12V Colour Temp: 3000K-4000K-6000K

Lumen: 600 Max CRI: ≥80a



Three color temperature adjustment




3000K



LED Instruction



Multi angle rotation



Portected by patent,if initated will be investingated Design patent certificate number: 202030497994.9






BL-1063



High grade silicone hose 360° rotating



Colorful atmosphere lamp





White mood


/hite mood Green n





Blue mood

Red mood
































Gold





Multi-mode color temperature adjustment, Touch stepless dimming, With LED indicator light

BL-1221

Power: 10W LED (included)
Voltage: AC100-240V, DC12V

















Three color temperature adjustment, Touch stepless dimming

BL-1225




Power: 10W LED (included) Voltage: AC100-240V, DC12V



New patented invention technology Gradable sliding adjust the height of lamp-post



Three color temperature adjustment















Black

Portected by patent,if initated will be investingated Design patent certificate number: 201930083373.3 201930083655.3

Sliver





Three color temperature adjustment, Touch stepless dimming, With night light

BL-1229

Power: 10W LED (included) Voltage: AC100-240V, DC13.5V



Intelligent automatic dimming, Manual dimming, with night light


BL-1108







The spherical metalic joint can be flexibly rotated in many angles



Subject to the color in production at that time, if the colour of product above has been changed.

Design patent certificate number: 201721407877.8

201730322991.X

Three color temperature adjustment, Touch stepless dimming, With USB socket


BL-1065

Power: 8W LED (included) Voltage: AC100-240V, DC13.5V

Product Features



LED indicator light





The USB socket can be used for charging your phone, camera, pad and laptop.

















Three color temperature adjustment, Touch stepless dimming

BL-1107

Power: 10W LED (included) Voltage: AC100-240V, DC12V

Product Features























Portected by patent,if initated will be investingated Design patent certificate number: 201430078621.2

201420621542.6

Three color temperature adjustment, Touch stepless dimming


BL-1207

Power: 10W LED (included) Voltage: AC100-240V, DC12V

Product Features























Portected by patent if initated will be investingated

Design patent certificate number: 201430078622.7

201430078715.X

201420621542.6


Multi-Mode Color Temperture, Stepless Dimming

BL-1200

Power: 10W LED (included) Voltage: AC100-240V, DC12V



























White



Portected by patent, if initated will be investingated Design patent certificate number: 201330114261.2

Sensor Touch & Stepless Dimming

BL-1201

Power: 8W LED (included) Voltage: AC100-240V, DC12V

Product Features

























Portected by patent, if initated will be investingated Design patent certificate number: 201230485491.5

Sensor Touch & Stepless Dimming

BL-1203


Power: 10W LED (included) Voltage: AC100-240V, DC12V

Product Features

Sensor Touch & Stepless Dimming



Multi-angle rotation Lampshape in lateral/Vertical



Folding function









Portected by patent, if initated will be investingated Design patent certificate number: 201630466996.5



















the colour of product above has been changed

Three color temperature adjustment Stepless Dimming

BL-1206

Power: 10W LED (included) Voltage: AC100-240V, DC12V


Product Features



silicone hose design 360° rotating



Three Color Temperture Stepless Dimming



4000-4500K



6000-6500K



2800-3300K



















Perrly Blue

Portected by patent, if initated will be investingated Design patent certificate number: 201430078375.0



Wireless charging, Three color temperature adjustment, Touch stepless dimming


BL-1855-C


Power: 8W LED (included)

Voltage: AC100-240V, DC13.5V Colour Temp: 3000K-4000K-6000K

Lumen: 480 Max

CRI: ≥80a







Black



Subject to the color in production at that time, if the colour of product above has been changed.



Wireless charging , Multi-mode color temperature adjustment , Touch stepless dimming , With LED indicator light

Power: 10W LED (included) Voltage: AC100-240V, DC13.5V Colour Temp: 3000K-4000K-6000K Lumen: 600 Max

CRI: ≥80a



Mobile phone wireless charging function





Three color temperature adjustment 3000K 4000K 6000K (±300K) (±300K) (±300K)




28

Sliver




Wireless charging, Multi-mode color temperature adjustment, Touch stepless dimming, With LED indicator light

BL-1295-C



LED Instruction






reading mode

Multi angle rotation

working mode



Leisure mode





Mobile phone wireless charging function

Black

Sliver

Subject to the color in production at that time, if the colour of product above has been changed.



Wireless charging , Multi-mode color temperature adjustment , Touch stepless dimming , With LED indicator light


BL-1105-C

Power: 10W LED (included) Voltage: AC100-240V, DC13.5V Colour Temp: 3000K-4000K-6000K

Lumen: 600 Max CRI: ≥80a



Three color temperature adjustment







Leisure mode


working mode



reading mode

Multi angle rotation

Sliver



Wireless charging , Multi-mode color temperature adjustment , Touch stepless dimming , With LED indicator light

BL-1223

Power: 10W LED (included) Voltage: AC100-240V, DC13.5V

Subject to the color in production at that time, if the colour of product above has been changed.



Gold

Wireless charging, Three color temperature adjustment, Touch stepless dimming, With night light

BL-1120

Power: 10W LED (included)
Voltage: AC100-240V, DC13.5\



Black

Wireless charging, Three color temperature adjustment, Touch stepless dimming, LED indicator light

BL-1027-C

Power: 8W LED (included) Voltage: AC100-240V, DC13.5V


Mobile phone wireless charging function



LED indicator light

 Press to turn on the lamp, the indicator light keeps bright after flashing 3 times.
 Press to turn off the lamp, the indicator light will be off after flashing 3 times.

Three color temperature adjustment







Subject to the color in production at that time, if the colour of product above has been changed.


Intelligent soure 5V/13.5V, Three color temperature adjustment, With night light, emergency lighting, Sliding stepless dimming


BL-1079

Power: 8W LED (included) Voltage: AC100-240V, DC13.5V



TO ADJUST THE BRIGHTNESS OF THE LIGHT, THE LIGHT WILL FOLLOW THE FINGER













The unique optical effect arrangement



Portected by patent,if initated will be investingated Design patent certificate number: 201730323237.8









BL-1283

HI-FI Bluetooth Speaker, Three color temperature adjustment, Touch stepless dimming,






Portected by patent, if initated will be investingated Design patent certificate number: 202030449445.4 Blue

HI-FI BLUETOOTH SPEAKER MINI LED NIGHT LIGHT COLOR TEMPERATURE ADJUSTING STEPLESS DIMMING USB CHARGING

BL-1231

Power: 10W LED (included) Voltage: AC100-240V, DC13.5V

Product Features





The unique optical effect arrangement (The new invention patent protection)







Portected by patent, if initated will be investingated Design patent certificate number: 201630278481.2



White



Subject to the color in production at that time, if the colour of product above has been changed.

Rose Gold

Alarm, Bird tweeter advanced wake up alarm, calendar & time display, three color temperature, Stepless dimming, with USB socket.

BL-1233

Power: 10W LED (included) Voltage: AC100-240V, DC13.5V


Product Features








Bird ringtone wake-up alarm Gradual wake up mode as dawn














Black

Gesture Sensor control, Color Temperature adjustment, Stepless Dimming Desk lamp

BL-1216

Power: 10W LED (included) Voltage: AC100-240V, DC12V







Stainless Steel for heat-dissipation



Three Colour temperature adjustment Stepless dimming

Long pressing the key the light can be on/off



The unique optical effect arrangement (The new invention patent protection)



Subject to the color in production at that time, if the colour of product above has been changed.


201530310003.0



Gesture Sensor control, Color Temperature adjustment, Stepless Dimming Desk lamp

BL-1217

Power: 10W LED (included) Voltage: AC100-240V, DC12V



Metal wiredrawinglampsha



Colour temperature adjustment Stepless dimming Long pressing the key, the light can be on/off.







Portected by patent, it initiated will be investingated

Design patent certificate number: 201530309846.9



Multi-functional LED table lamp , Three color temperature adjustment , Double dimming mode



Power: 8W LED (included) Voltage: AC100-240V, DC12V Colour Temp: 3000K-4000K-6000K

Lumen: 480 Max CRI: ≥80a







White





- Slightly press to adjust brightness in three steps.
- Long press to stepless adjust brightness(10%-100%)







Three color temperature adjustment, Touch stepless dimming, With night light,

BL-1281










Stepless adjustable color temperature, Rotating stepless dimming

BL-1285

Power: 8W LED (included) Voltage: AC100-240V, DC12V



Stepless adjustable color temperature (3000K-6000K)






Portected by patent, if initated will be investingated Design patent certificate number: 202030449437.X



Stepless adjustable color temperature, Rotating stepless dimming

BL-1286



Colour Temp: 3000K-4000K-6000K

Lumen: 500 Max

CRI: ≥80a





Slight Press: ON/OFF



Rotate: Dimming




Press & Rotate: CCT



Mechanical Switch



Stepless adjustable color temperature (3000K-6000K)



Portected by patent, if initated will be investingated Design patent certificate number: 202030449436.5


Sliver













Three color temperature adjustment, Touch stepless dimming, With night light,

BL-1291



Power: 8W LED (included)
Voltage: AC100-240V, DC12V


Colour Temp: 3000K-4000K-6000K

Lumen: 480 Max

CRI: ≥80a



Three color temperature adjustment



Portected by patent, if initated will be investingated Design patent certificate number: 202030449420.4







Three color temperature adjustment, Touch stepless dimming, With night light,

BL-1381



Portected by patent, if initated will be investingated Design patent certificate number: 202030449425.7


Blue

Three color temperature adjustment, Three Steps Dimming, LED indicator light

BL-1023


Power: 8W LED (included) Voltage: AC100-240V, DC12V

Product Features



- Touch the on/off key,all keys runs a round and LED indicator light flash 3 times,then on/off key keeps bright.
- Touch other function key, the key flash 3 times then turn off.
- Touch the key to turn off the lamp, the LED indicator light will be off after flashing 3 times.

三色温调节 Three color temperature adjustment



Portected by patent, if initated will be investingated Design patent certificate number: 201930364882.3





Subject to the color in production at that time,if

Three color temperature adjustment, Touch stepless dimming, LED indicator light

BL-1027

Power: 8W LED (included) Voltage: AC100-240V, DC12V

smart lighting











LED indicator light

 Press to turn on the lamp, the indicator light keeps bright after flashing 3 times.

Press to turn off the lamp, the indicator light will be off after flashing 3 times.















Gold


Three color temperature adjustment, Three Steps Dimming


BL-1066

Power: 8W LED (included) Voltage: AC100-240V, DC12V

Product Features







Three color temperature adjustment




























Three color temperature adjustment, Touch stepless dimming, With LED indicator light


BL-1071

Power: 8W LED (included) Voltage: AC100-240V, DC12V

Product Features
































Three color temperature adjustment, Sliding dimming, With LED indicator light

BL-1072

Power: 8W LED (included)

Voltage: AC100-240V, DC12V

Colour Temp: 3000K-4000K-6000K

Lumen: 480 Max

CRI: ≥80a




Sliding stepless dimming to adjust the brightness of the light

(b) Slide stepless dimming mode:

- Touch on/off key, the initial brightness is 100% rate. Moving your finger on the translucent line up and down to stepless dimming smoothly, truly realize adjusting suitable brightness at will.
- Touch on/off key again to turn off the lamp and it memorize the current CCT and brightness. When turn on the lamp again, it remains last CCT & brightness, dimmer indicator light stop in the place as last time.





Three color temperature adjustment
















BL-1871


Power: 6W LED (included) Voltage: AC100-240V, DC12V

Product Features



- Slightly press to adjust brightness in three steps.
- Long press to stepless adjust brightness(10%-100%)

Three color temperature adjustment














Portected by patent,if initated will be investingated Design patent certificate number: 201930364932.8

BL-1872


Power: 6W LED (included) Voltage: AC100-240V, DC12V

Product Features



- Slightly press to adjust brightness in three steps.
- Long press to stepless adjust brightness(10%-100%) .

Three color temperature adjustment
















Portected by patent, if initated will be investingated Design patent certificate number: 201930364884.2

BL-1920


Power: 6W LED (included) Voltage: AC100-240V, DC12V

Product Features



- Slightly press to adjust brightness in three steps.
- Long press to stepless adjust brightness(10%-100%)

Three color temperature adjustment



3300-4000K 4000-5000K 5000-6000K


















Portected by patent,if initated will be investingated Design patent certificate number: 201930364889.5




BL-1921

Power: 6W LED (included) Voltage: AC100-240V, DC12V

Product Features





- Slightly press to adjust brightness in three steps.
- Long press to stepless adjust brightness(10%-100%)























Three color temperature adjustment, Mechanical Switch

BL-1872-S

Power: 6W LED (included) AC220V



Three color temperature adjustment






















Emergency charging function, Three color temperature adjustment, Touch stepless dimming

BL-1921-C


Power: 4W LED (included) DC5V

Product Features



Charging, red indicator

Full charge, Green indicator



Offline protection:

When the power is connected, the luminaire can't be used, only battery enter charging status, until it's fully charged.

When the power is disconnected, the luminaire neither be used nor be charged,only can be used until selected auto control mode. If the luminaire is not used for a long time, pull the switch to the offline protection mode to protect the battery from consuming capacity.

Auto control:
When the power is connected, the battery will enter the charging state while the desk lamp is being used.
When the power is disconnected, no matter the desk lamp is used or not, the battery will stand by and the desk lamp can be used at any time, but this mode will gradually consume the battery power.

















Three color temperature adjustment, Three Steps Dimming

BL-1851

Power: 6W LED (included) Voltage: AC100-240V, DC12V

Product Features



- Press to turn on the main lamp ,press again the lamp to adjust the brightness in high /middle/low.
- long press 1 second to turn off the lamp, turn on the lamp again can restore the last brightness rate
- The first time to touch it, the lamp will be all bright, the color temperature is day light, it can press the key to adjust the three step brightness.
- The second time to touch it, it comes with cool light, can press the key to adjust white light in the three step brightness.
- The third time to touch it, it comes with warm light, can press the key to adjust yellow light in the three step brightness.





Three color temperature adjustment





















Portected by patent, if initated will be investingated Design patent certificate number: 201830393324.5

Three color temperature adjustment, Touch stepless dimming, With LED indicator light

BL-1853

Power: 6W LED (included) Voltage: AC100-240V, DC12V



Portected by patent, if initated will be investingated Design patent certificate number: 201830393381.3 White

wood grain, color temperature adjustment, stepless dimming

BL-1081

Power: 8W LED (included) Voltage: AC100-240V, DC12V

Product Features



Press "big knob" to turn on/off the main lamp

- In any color temperature, rotating "big knob" stepless increase or decrease the brightness of the light, dimming mode can be fast or slow, rotating slowly can be realized by gear precision fine-tuning brightness, rotating rapidly can achieve stepless dimming.
- The first time to touch it, the lamp will be all bright,can rotate "big knob" stepless increase
 or decrease the brightness of the light.
- The second time to touch it, the white light becomes brighter, ,can rotate "big knob" stepless increase or decrease the brightness of the light.
- The third time to touch it, the warm light becomes brighter, ,can rotate 'big knob' stepless increase or decrease the brightness of the light.



Clear and natural water transfer printing wood grain design, exhale the natural atmosphere of the original ecology, give you a quiet and leisurely reading atmosphere

The unique optical effect arrangement (The new invention patent protection)




















Subject to the color in production at that time, if the colour of product above has been changed


Three color temperature adjustment, Stepless dimming

BL-1325

Power: 6W LED (included) Voltage: AC100-240V, DC12V

Product Features





MT-932

Mechanical Switch




















Three color temperature adjustment, Stepless dimming

BL-1327

Power: 6W LED (included) Voltage: AC100-240V, DC12V

Product Features



The unique optical effect arrangement (The new invention patent protection)































Three color temperature adjustment, Stepless dimming


BL-1328

Power: 6W LED (included) Voltage: AC100-240V, DC12V

Product Features



The unique optical effect arrangement (The new invention patent protection)











Gold



















Three Steps Dimming With Night Light

BL-1391

Power: 6W LED (included) Voltage: AC100-240V, DC12V





Three Steps Dimming

























Portected by patent, if initated will be investingated Design putent certificate number: 201330114072.5

Subject to the color in production at that time, if the colour of product above has been changed.

Three steps dimming

BL-1392

Power: 6W LED (included) Voltage: AC100-240V, DC12V



With Magnifer, Three steps dimming

BL-1208A

Power: 5W LED (included) Voltage: AC100-240V, DC12V

Product Features



Magnifier



Three Steps Dimming























Portected by patent, if initated will be investingated Design patent certificate number: 201430338037.6

Subject to the color in production at that time, if the colour of product above has been changed.

With Magnifer, Three steps dimming

BL-1205

Power: 5W LED (included) Voltage: AC100-240V, DC12V

Product Features



Magnifier



Three Grades Dimming



BL-1856

Mechanical Switch























White



Three color temperature adjustment, Touch stepless dimming, LED indicator light

BL-1618

LED indicator light

 Turn on the lamp, the eyes indicator light keeps bright after flashing 3 times.





DIM



CT ON/OFF



Three color temperature adjustment



6000K (±300K)

4000K (±300K)

3000K (±300K)

Power: 8W LED (included)

Voltage: AC100-240V, DC12V

Colour Temp: 3000K-4000K-6000K

Lumen: 480 Max

CRI: ≥80a




Blue




Portected by patent, if initated will be investingated Design patent certificate number: 201930649321.8

BL-1601



Subject to the color in production at that time,if the colour of product above has been changed

BL-1603



BL-1605



Subject to the color in production at that time,if the colour of product above has been changed

smart fighting producing year drawn.


Product Features

Three Steps Dimming slightly touch Wam light, day light, cool light

Long Press 1 second to turn on or turn off the LED night light

 Long press 1 second to turn on or turn off the main lamp

Three color temperature control mode













LED right Sight















Portected by patent, if initated will be investingated Design patent certificate number: 201730151657.2



AC: 100~240V DC: 12V POWER: 6W QTY: 6 PCS/CTN





Plastic hose, easy to control, adjust the lamp angle

























peri container LLD hight light

Subject to the color in production at that time,if the colour of product above has been changed Portected by patent, if initated will be investingated Design patent certificate number: 201730151658.7

BL-1608



Product Features




AC: 100~240V DC: 12V POWER: 6W QTY: 6 PCS/CTN









Portected by patent, if initated will be investingated Design patent certificate number: 201830297800.3













BL-1609





Three color temperature adjustment, Touch stepless dimming

BL-1908



Three color temperature adjustment















AC:100~240V DC:12V

POWER:6W



Touch stepless dimming







Three color temperature adjustment, Three Steps Dimming

BL-1128





Product Features

Desk-Clip Muti-using Design



Three steps Dimming



BL-1028

Mechanical Switch


















Portected by patent, if initated will be investingated Design patent certificate number: 201330489704.6

Subject to the color in production at that time, if

Three color temperature adjustment, Three Steps Dimming

BL-1238

Power: 5W LED (included) Voltage: AC100-240V, DC12V



BL-1138



Portected by patent, if initated will be investingated Design patent certificate number: 201330489696.5



Double luminaire/ Three CCT/ Stepless dimming





Portected by patent,if initated will be investingated Design patent certificate number: 202130178375.8


BI-1903



Up lighting --- CCT & Dimming control for up lighting




Down lighting --- CCT & Dimming control for down lighting



Precise & durable Metal Swivel

Three color temperature adjustment



Decorative with brushed panel



Double luminaire/ Three CCT/ Stepless dimming/ Supporting tray



BI-1903-P



Subject to the color in production at that time, if the colour of product above has been changed.

Double luminaire/ Three CCT/ Stepless dimming/ Supporting tray


BI-1903-P




Up lighting --- CCT & Dimming control for up lighting



Three color temperature adjustment





Decorative with brushed panel



Multi-functional LED Floor lamp

Double luminaire/ Three CCT/ Stepless dimming/ Supporting tray/ USB charging



BI-1903-U



Double luminaire/ Three CCT/ Stepless dimming/ Supporting tray/ USB charging


BI-1903-U








Three color temperature adjustment





Decorative with brushed panel



Multi-functional LED Floor lamp Double luminaire/ Three CCT/ Stepless dimming/ Supporting tray / Wireless charging



BI-1903-C




BI-1903-C







Down lighting --- CCT & Dimming control for down lighting



Precise & durable Metal Swivel

Supporting tray with wireless charging

Three color temperature adjustment





Decorative with brushed panel



BI-1913 Multi-functional LED Floor lamp





Multi-functional LED Floor lamp Three CCT/ Stepless dimming



BI-1913

Power: 12W LED (included)
Voltage: AC100-240V, DC12V
Colour Temp: 3000K-4000K-6000K



Portected by patent, if initated will be investingated Design patent certificate number: 202130178491.X




BI-1913


Multi-functional LED Floor lamp Three CCT/ Stepless dimming



Slant lampshade-large emitting area









Decorative with brushed panel



Multi-functional LED Floor lamp LCD Display of time, calendar and temperature/ Three CCT/ Stepless dimming/ Supporting tray



BI-1913-P

Power: 12W LED (included)
Voltage: AC100-240V, DC13.5V
Colour Temp: 3000K-4000K-6000K





Multi-functional LED Floor lamp LCD Display of time, calendar and temperature/ Three CCT/ Stepless dimming/ Supporting tray


BI-1913-P

Slant lampshade-large emitting area











(First step: Long press ON/OFF to switch Red/Blue indicator light)

•Blue indicator light on, control LCD display function

•Red indicator light on, control main lamp



Blue indicator light on

- +Slight press: Increase time /data
- ·Long press: Switch 12/24 hour style

Red indicator light on

·Adjust color temperature of main lamp •4000K-3000K-6000K(70% brightness in intial status)

Blue indicator light on

- ·Switch time/date
- •When the digit flashing,press"▲ "/" ▼" to adjust data
- (Switching sequence: Hour-Minute-Year-

Month-Date)

Red indicator light on

•Slight press: Adjust brightness for main I amp in four steps(100%-50%-25%-10%)

•Long press: Steplss adjust brightness for main lamp(100%-10%)



Blue indicator light on

Long press to switch temperature in Celsius/Fahrenheit

•When the digit flashing, press"▲"/"▼" to adjust data

Red indicator light on

·Short press: On/Off for Up lighting

·Long press: Stepless dimming for Up light

First step: Long press ON/OFF to switch Red/Blue indicator light

·Blue indicator light on, control LCD display

Red indicator light on, control main lamp

(Slight press to turn on/off main lamp when red indicator light on)



Multi-functional LED Floor lamp LCD Display of time,calendar and temperature/ Three CCT/ Stepless dimming/ USB charging/ Supporting tray



BI-1913-U

Power: 12W LED (included)
Voltage: AC100-240V, DC13.5V
Colour Temp: 3000K-4000K-6000K






Multi-functional LED Floor lamp LCD Display of time, calendar and temperature/ Three CCT/ Stepless dimming/ USB charging/ Supporting tray


BI-1913-U

Slant lampshade-large emitting area











(First step: Long press ON/OFF to switch Red/Blue indicator light)

•Blue indicator light on, control LCD display function

LOW

•Red indicator light on, control main lamp



Blue indicator light on

- ·Slight press: Increase time /data
- •Long press: Switch 12/24 hour style

Red indicator light on

•Adjust color temperature of main lamp •4000K-3000K-6000K(70% brightness in intial status)

Blue indicator light on

- ·Switch time/date
- •When the digit flashing,press"▲ "/"▼" to adjust data
- (Switching sequence:Hour-Minute-Year-Month-Date)

Red indicator light on

•Slight press: Adjust brightness for main I amp in four steps(100%-50%-25%-10%)

 Long press: Steplss adjust brightness for main lamp(100%-10%)

Blue indicator light on

- •Long press to switch temperature in Celsius/Fahrenheit
- When the digit flashing, press" ▲"/" ▼" to adjust data

Red indicator light on

- Short press: On/Off for Up lighting
- ·Long press: Stepless dimming for Up light


First step: Long press ON/OFF to switch Red/Blue indicator light

•Blue indicator light on,control LCD display function

Red indicator light on, control main lamp

(Slight press to turn on/off main lamp when red indicator light on)

L . T



Multi-functional LED Floor lamp LCD Display of time, calendar, temperature/ Three CCT/ Stepless dimming



BI-1913-T

Power: 12W LED (included)
Voltage: AC100-240V, DC12V
Colour Temp: 3000K-4000K-6000K





Multi-functional LED Floor lamp LCD Display of time, calendar, temperature/ Three CCT/ Stepless dimming

BI-1913-T

Three color temperature adjustment



Slant lampshade-large emitting area



6000K (±300K) 4000K (±300K)






(First step: Long press ON/OFF to switch Red/Blue indicator light)

ON/OFF

3000K

(±300K)

- •Blue indicator light on, control LCD display function
- •Red indicator light on, control main lamp



Blue indicator light on

- ·Slight press: Increase time /data
- . Long press: Switch 12/24 hour style

Red indicator light on

·Adjust color temperature of main lamp •4000K-3000K-6000K(70% brightness in intial status)

Blue indicator light on

- ·Switch time/date
- •When the digit flashing,press"▲ "/"▼" to adjust data
- (Switching sequence: Hour-Minute-Year-Month-Date)

Red indicator light on

•Slight press: Adjust brightness for main I amp in four steps(100%-50%-25%-10%)

•Long press: Steplss adjust brightness for main lamp(100%-10%)

Blue indicator light on

- Long press to switch temperature in Celsius/Fahrenheit
- When the digit flashing, press" ▲"/" ▼"
- to adjust data

Red indicator light on

- ·Short press: On/Off for Up lighting
- *Long press: Stepless dimming for Up light

First step: Long press ON/OFF to switch Red/Blue indicator light

·Blue indicator light on, control LCD display

Red indicator light on, control main lamp

(Slight press to turn on/off main lamp when red indicator light on)



Multi-functional LED Floor lamp LCD Display of time,calendar and temperature/ Three CCT/ Stepless dimming/ Wireless charging/ Supporting tray



BI-1913-C

Power: 15W LED (included)
Voltage: AC100-240V, DC13.5V
Colour Temp: 3000K-4000K-6000K



Portected by patent, if initated will be investingated Design patent certificate number: 202130597273, X 202130596859.4

Subject to the color in production at that time, if the colour of product above has been changed




Multi-functional LED Floor lamp LCD Display of time calendar and temperature/ Three CCT/ Stepless dimming/ Wireless charging/ Supporting tray


BI-1913-C

Slant lampshade-large emitting area













(First step: Long press ON/OFF to switch Red/Blue indicator light)

- ·Blue indicator light on, control LCD display function
- •Red indicator light on, control main lamp



Blue indicator light on

- ·Slight press: Increase time /data
- . Long press: Switch 12/24 hour style

Red indicator light on

·Adjust color temperature of main lamp •4000K-3000K-6000K(70% brightness in

Blue indicator light on

- ·Switch time/date
- •When the digit flashing,press"▲ "/" " to adjust data

(Switching sequence: Hour-Minute-Year-Month-Date)

Red indicator light on

- •Slight press: Adjust brightness for main I amp in four steps(100%-50%-25%-10%)
- Long press: Steplss adjust brightness for main lamp(100%-10%)

Blue indicator light on

- •Long press to switch temperature in Celsius/Fahrenheit
- •When the digit flashing,press"▲"/"▼" to adjust data

Red indicator light on

- ·Short press: On/Off for Up lighting
- ·Long press: Stepless dimming for Up light

First step: Long press ON/OFF to switch Red/Blue indicator light

Blue indicator light on, control LCD display

Red indicator light on control main lamp

(Slight press to turn on/off main lamp when red indicator light on)

ON/OFF



BI-1925 Multi-functional LED Floor lamp










Multi-functional LED Floor lamp Infrared remote control/ Double luminaire/ Three CCT/ Stepless dimming



BI-1925

Power: 15W LED (included)
Voltage: AC100-240V, DC12V
Colour Temp: 3000K-4000K-6000K








Multi-functional LED Floor lamp Infrared remote control/ Double luminaire/ Three CCT/ Stepless dimming

BI-1925




Up lighting --- CCT & Dimming control for up lighting



Down lighting --- CCT & Dimming control for down lighting






silicone hose design 360° rotating

Infrared remote control

- The remote control can be separated from the lamp body
- The effective distance of remote control is about 5 meters
- The remote control and lamp body are connected by magnet, it is easy for using.





Multi-functional LED Floor lamp Infrared remote control/ Double luminaire/ Three CCT/Stepless dimming/ Supporting tray



BI-1925-P

Power: 15W LED (included)
Voltage: AC100-240V, DC12V
Colour Temp: 3000K-4000K-6000K






Multi-functional LED Floor lamp Infrared remote control/ Double luminaire/ Three CCT/Stepless dimming/ Supporting tray

BI-1925-P



Up lighting ---CCT & Dimming control for up lighting



Up lighting UP-ON / OFF UP-CCT/DIM


Down lighting

brightness+ brightness-

ON / OFF

CCT

Down lighting --- CCT & Dimming control for down lighting




Infrared remote control

- The remote control can be separated from the lamp body
- The effective distance of remote control is about 5 meters
- The remote control and lamp body are connected by magnet, it is easy for using.











Multi-functional LED Floor lamp Infrared remote control.Double luminaire/ Three CCT/ Stepless dimming/ USB charging/ Supporting tray



BI-1925-U

Power: 15W LED (included)
Voltage: AC100-240V, DC13.5V
Colour Temp: 3000K-4000K-6000K






Multi-functional LED Floor lamp Infrared remote control. Double luminaire/ Three CCT/ Stepless dimming/ USB charging/ Supporting tray

BI-1925-U



Up lighting ---CCT & Dimming control for up lighting



Down lighting --- CCT & Dimming control for down lighting




Infrared remote control

- The remote control can be separated from the lamp body
- The effective distance of remote control is about 5 meters
- The remote control and lamp body are connected by magnet, it is easy for using.











Multi-functional LED Floor lamp Infrared remote control/ Double luminaire/ Three CCT / Stepless dimming/ Wireless charging/ Supporting tray



BI-1925-C

Power: 15W LED (included)
Voltage: AC100-240V, DC13.5V
Colour Temp: 3000K-4000K-6000K





Portected by patent, if initated will be investingated Design patent certificate number: 202130597274.4

202130597238.8


Black

Multi-functional LED Floor lamp Infrared remote control/ Double luminaire/ Three CCT / Stepless dimming/ Wireless charging/ Supporting tray

BI-1925-C



Up lighting ---CCT & Dimming control for up lighting



Up lighting

UP-ON / OFF UP-CCT/DIM


Down lighting

brightness+ brightness-

ON / OFF

CCT


Down lighting --- CCT & Dimming control for down lighting




Infrared remote control

- The remote control can be separated from the lamp body
- The effective distance of remote control is about 5 meters
- The remote control and lamp body are connected by magnet, it is easy for using.





Three color temperature adjustment





BI-1926 Multi-functional LED Floor lamp











Silver, Grey, Champagne Gold



Multi-functional LED Floor lamp Three CCT/ Stepless dimming



BI-1926

Power: 12W LED (included)
Voltage: AC100-240V, DC12V
Colour Temp: 3000K-4000K-6000K







Portected by patent, if initated will be investingated Design patent certificate number: 202130363690.8


BI-1926




Slant lampshade-large emitting area










Three color temperature adjustment





Multi-functional LED Floor lamp LCD dsplay of time/ Three CCT/ Stepless dimming/ Supporting tray



BI-1926-P

Power: 12W LED (included)
Voltage: AC100-240V, DC12V
Colour Temp: 3000K-4000K-6000K







Multi-functional LED Floor lamp LCD dsplay of time/ Three CCT/ Stepless dimming/ Supporting tray

BI-1926-P

Slant lampshade-large emitting area











Brushed aluminum lamppost



Three color temperature adjustment





Multi-functional LED Floor lamp LCD dsplay of time/ Three CCT/ Stepless dimming / USB charging/ Supporting tray



BI-1926-U

Power: 12W LED (included)
Voltage: AC100-240V, DC13.5V
Colour Temp: 3000K-4000K-6000K







Multi-functional LED Floor lamp LCD dsplay of time/ Three CCT/ Stepless dimming / USB charging/ Supporting tray

BI-1926-U

Slant lampshade-large emitting area











Brushed aluminum lamppost



Three color temperature adjustment





Multi-functional LED Floor lamp LCD dsplay of time/ Three CCT/ Stepless dimming



BI-1926-T

Power: 12W LED (included)
Voltage: AC100-240V, DC12V
Colour Temp: 3000K-4000K-6000K







Multi-functional LED Floor lamp LCD dsplay of time/ Three CCT/ Stepless dimming

BI-1926-T




Slant lampshade-large emitting area






Brushed aluminum lamppost









Multi-functional LED Floor lamp LCD dsplay of time/ Three CCT/ Stepless dimming/ Wireless charging/ Supporting tray



BI-1926-C

Power: 12W LED (included)
Voltage: AC100-240V, DC13.5V
Colour Temp: 3000K-4000K-6000K






Portected by patent, if initated will be investingated Design patent certificate number: 202130597260.2 202130597233.5


Multi-functional LED Floor lamp LCD dsplay of time/ Three CCT/ Stepless dimming/ Wireless charging/ Supporting tray

BI-1926-C

Slant lampshade-large emitting area











Brushed aluminum lamppost



Three color temperature adjustment





BI-1927 Multi-functional LED Floor lamp











Multi-functional LED Floor lamp Double luminaire/ Three CCT/ Stepless sliding dimming



BI-1927

Power: 15W LED (included)
Voltage: AC100-240V, DC12V
Colour Temp: 3000K-4000K-6000K





Portected by patent, if initated will be investingated Design patent certificate number: 202130597256.6


Multi-functional LED Floor lamp Double luminaire/ Three CCT/ Stepless sliding dimming

Up lighting












Down lighting









Multi-functional LED Floor lamp Double luminaire/ Three CCT/ Stepless sliding dimming/ Supporting tray



BI-1927-P

Power: 15W LED (included)
Voltage: AC100-240V, DC12V
Colour Temp: 3000K-4000K-6000K





Multi-functional LED Floor lamp Double luminaire/ Three CCT/ Stepless sliding dimming/ Supporting tray

Up lighting







Multi-functional LED Floor lamp Double luminaire/ Three CCT/ Stepless sliding dimming/ USB charging/ Supporting tray



BI-1927-U


Power: 15W LED (included)
Voltage: AC100-240V, DC13.5V
Colour Temp: 3000K-4000K-6000K






Multi-functional LED Floor lamp Double luminaire/ Three CCT/ Stepless sliding dimming/ USB charging/ Supporting tray BI-1927-U

Up lighting







Multi-functional LED Floor lamp Double luminaire/ Three CCT/ Stepless sliding dimming/ Wireless charging/ Supporting tray



BI-1927-C

Power: 15W LED (included)
Voltage: AC100-240V, DC13.5V
Colour Temp: 3000K-4000K-6000K





Portected by patent,if initated will be investingated Design patent certificate number: 202130363832.0

202130596847.1

Up lighting







BI-1928 Multi-functional LED Floor lamp











Silver, Grey, Champagne Gold

COLOR: Silver, Grey, Champagne Gold

• Three CCT





Multi-functional LED Floor lamp Double luminaire/ Three CCT/ Stepless dimming.

Up lighting









3000K (±300K) 4000K (±300K)

三色温调节 Three color temperature adjustment

6000K (±300K)

Down lighting





silicone hose design 360° rotating



lamppost



Multi-functional LED Floor lamp LCD display of time, calendar, temperature/ Double luminaire/ Three CCT/ Stepless dimming/ Supporting tray





Multi-functional LED Floor lamp LCD display of time, calendar, temperature/ Double luminaire/ Three CCT/ Stepless dimming/ Supporting tray

Up lighting









Down lighting

(First step: Long press ON/OFF to switch Red/Blue indicator light)

- •Blue indicator light on, control LCD display function
- •Red indicator light on, control main lamp

Blue indicator light on

- ·Slight press: Increase time /data
- ·Long press: Switch 12/24 hour style

Red indicator light on

•Adjust color temperature of main lamp •4000K-3000K-6000K(70% brightness in intial status)

Blue indicator light on

- Switch time/date
- •When the digit flashing,press"▲ "/"▼" to adjust data
- (Switching sequence Hour-Minute-Year-Month-Date)

Red indicator light on

*Slight press: Adjust brightness for main I amp in four steps(100%-50%-25%-10%)

•Long press: Steplss adjust brightness for main lamp(100%-10%)



Blue indicator light on

- Long press to switch temperature in Celsius/Fahrenheit
- •When the digit flashing,press"▲"/"♥" to adjust data

Red indicator light on

- Short press: On/Off for Up lighting
 Long press: Stepless dimming for Up light


First step: Long press ON/OFF to switch Red/Blue indicator light

·Blue indicator light on control LCD display

Red indicator light on, control main lamp (Slight press to turn on/off main lamp when red indicator light on)









Multi-functional LED Floor lamp LCD display of time, calendar, temperature/ Double luminaire/ Three CCT/ Stepless dimming/ USB charging/ Supporting tray




BI-1928-U



BI-1928-U

Multi-functional LED Floor lamp LCD display of time, calendar, temperature/ Double luminaire/ Three CCT/ Stepless dimming/ USB charging/ Supporting tray

Up lighting











(First step: Long press ON/OFF to switch Red/Blue indicator light)

- •Blue indicator light on, control LCD display function
- •Red indicator light on, control main lamp

Blue indicator light on

- ·Slight press: Increase time /data
- •Long press: Switch 12/24 hour style

Red indicator light on

•Adjust color temperature of main lamp +4000K-3000K-6000K(70% brightness in

Blue indicator light on

- ·Switch time/date
- •When the digit flashing,press"▲ "/"▼" to adjust data
- (Switching sequence:Hour-Minute-Year-Month-Date)

Red indicator light on

•Slight press: Adjust brightness for main I amp in four steps(100%-50%-25%-10%)

Long press: Steplss adjust brightness for main lamp(100%-10%)



Blue indicator light on

- Long press to switch temperature in Celsius/Fahrenheit
- •When the digit flashing,press" $\underline{\wedge}$ "/" $\underline{\vee}$ " to adjust data
- Red indicator light on
- ·Short press: On/Off for Up lighting ·Long press: Stepless dimming for Up light

Double USB

First step: Long press ON/OFF to switch Red/Blue indicator light


Blue indicator light on, control LCD display

Red indicator light on control main lamp (Slight press to turn on/off main lamp when red indicator light on)



Brushed aluminum lamppost







Multi-functional LED Floor lamp LCD display of time, calendar, temperature/ Double luminaire/ Three CCT/ Stepless dimming






Multi-functional LED Floor lamp LCD display of time, calendar, temperature/ Double luminaire/ Three CCT/ Stepless dimming

BI-1928-T

Up lighting









Down lighting

(First step: Long press ON/OFF to switch Red/Blue indicator light)

- •Blue indicator light on, control LCD display function
- •Red indicator light on, control main lamp

Blue indicator light on

- ·Slight press: Increase time /data
- •Long press: Switch 12/24 hour style

Red indicator light on

•Adjust color temperature of main lamp •4000K-3000K-6000K(70% brightness in intial status)

Blue indicator light on

- ·Switch time/date
- •When the digit flashing,press"▲ "/"▼" to adjust data
- (Switching sequence:Hour-Minute-Year-Month-Date)

Red indicator light on

- •Slight press: Adjust brightness for main I amp in four steps(100%-50%-25%-10%)
- •Long press: Steplss adjust brightness for main lamp(100%-10%)



Blue indicator light on

- •Long press to switch temperature in Celsius/Fahrenheit
- •When the digit flashing,press"▲"/"▼" to adjust data

Red indicator light on


- ·Short press: On/Off for Up lighting
- •Long press: Stepless dimming for Up light


First step: Long press ON/OFF to switch Red/Blue indicator light

•Blue indicator light on,control LCD display function

Red indicator light on,control main lamp

(Slight press to turn on/off main lamp when red indicator light on)








Multi-functional LED Floor lamp LCD display of time, calendar, temperature/ Double luminaire/ Three CCT/ Stepless dimming/ Wireless charging/ Supporting tray





Multi-functional LED Floor lamp LCD display of time, calendar, temperature/ Double luminaire/ Three CCT/ Stepless dimming/ Wireless charging/ Supporting tray

Up lighting











Down lighting

Supporting tray with wireless charging

(First step: Long press ON/OFF to switch Red/Blue indicator light)

- •Blue indicator light on, control LCD display function
- •Red indicator light on, control main lamp

Blue indicator light on

- ·Slight press: Increase time /data
- *Long press: Switch 12/24 hour style

Red indicator light on

. Adjust color temperature of main lamp •4000K-3000K-6000K(70% brightness in intial status)

Blue indicator light on

- Switch time/date
- . When the digit flashing press" ▲ "/" ▼ " to adjust data
- (Switching sequence:Hour-Minute-Year-Month-Date)

Red indicator light on

•Slight press: Adjust brightness for main I amp in four steps(100%-50%-25%-10%)

Long press: Steplss adjust brightness for main lamp(100%-10%)



Blue indicator light on

- •Long press to switch temperature in Celsius/Fahrenheit
- •When the digit flashing,press"▲"/"▼" to adjust data

Red indicator light on

- Short press: On/Off for Up lighting
 Long press: Stepless dimming for Up light


First step: Long press ON/OFF to switch Red/Blue indicator light


- Blue indicator light on, control LCD display

(Slight press to turn on/off main lamp when red indicator light on)

Red indicator light on, control main lamp

Brushed aluminum lamppost





Three color temperature· Side panel lighting \cdot Double dimming function \cdot Rest reminder for reading· Off delay function

BL-1513

Three color temperature: Side panel lighting · Double dimming function · Rest reminder for reading · Off delay function

BL-1513



LED Illuminated touch buttons

Rest reminder for reading

- Short press to set rest reminder,works in 30 mins
- Long press to test reminder function,lamp will flash in 5 seconds.




- Short press to adjust CCT
- Long press for off delay function.
- Short press for 3 steps dimming
- Long press for stepless dimming



Side panel lighting, **Soft light**, Anti glare

90a Color rendering index,present the object's true color





Size: 190*160*300mm (6PCS): 500*395*320mm

Portected by patent, if initated will be investingated Design patent certificate number 202230449798.3

ect to the color in production at that time,if clour of product above has been changed. 03

Pink


Three color temperature \cdot Side panel lighting \cdot Double dimming function-Rest reminder for reading \cdot With LED night light

BL-1613

Three color temperature \cdot Side panel lighting \cdot Double dimming function-Rest reminder for reading \cdot With LED night light

BL-1613










Side panel lighting, Soft light, Anti glare

ON/OFF Mode

90a Color rendering index,present the object's true color





Size: 190*160*300mm (6PCS): 500*395*320mm

Portected by patent, if initated will be investingated being patent ortificate number: 202230449817.2

ubject to the color in production at that time, if

03

Three color temperature · Side panel lighting · Double dimming function · Rest reminder for reading · With pen & phone holder · With LED night light Three color temperature · Side panel lighting · Double dimming function· Rest reminder for reading · With pen & phone holder· With LED night light



LED Illuminated touch buttons

ON/OFF Mode

Rest reminder for reading

■ Short press to set rest reminder.works in 30 mins ▲ Long press to test reminder function.lamp will flash in 5 seconds.


- Short press to adjust CCT ■ Short press for 3 steps dimming
- Long press to turn on/off night light ■ Long press for stepless dimming

Side panel lighting, Soft light, Anti glare

BL-1503



90a Color rendering index, present the object's true color







Size: 190*160*310mm (6PCS): 500*395*330mm

Three color temperature \cdot Double dimming function \cdot Rest reminder for reading \cdot Off delay function

Power: 8W

Blue

Pink

Lumen: 500 Max CRI: ≥80a

Voltage: AC100-240V, DC12V

Colour Temp: 3000K-4000K-6500K (±300K)

BL-1515

Three color temperature · Double dimming function · Rest reminder for reading · Off delay function

BL-1515



Rest reminder for reading

- Short press to set rest reminder, works in 30 mins
- Long press to test reminder function,lamp will flash in 5 seconds.




♣ Short press to adjust CCT

function.

- Long press for off delay Long
- ▲ Short press for 3 steps dimming
 - Long press for stepless dimming







Size: 190*160*300mm (6PCS): 500*395*320mm

Portected by patent, if initated will be investingated Doign patent certificate number 202230449821.9

White

oject to the color in production at that time,if colour of product above has been changed.

03

Three color temperature \cdot Double dimming function \cdot Rest reminder for reading \cdot With LED night light

BL-1615

Three color temperature \cdot Double dimming function \cdot Rest reminder for reading \cdot With LED night light

BL-1615




Rest reminder for reading Short press to set rest reminder, works in 30 mins Long press to test reminder function, lamp will flash in 5 seconds. Short press to adjust CCT Short press for 3 steps dimming

■ Long press for stepless dimming



■ Long press to turn on/off night light





Size: 190*160*300mm (6PCS): 500*395*320mm

Portected by patent if initated will be investingated Doign patent certificate number: 202230449796.4

bject to the color in production at that time,if a colour of product above has been chanced.

03

Three color temperature · Double dimming function · Rest reminder for reading · With pen & phone holder · With LED night light

BL-1505 Power: 8W Voltage: AC100-240V, DC12V Colour Temp: 3000K-4000K-6500K (±300K) Lumen: 500 Max CRI: ≥80a Blue White Pink

Three color temperature \cdot Double dimming function \cdot Rest reminder for reading \cdot With pen & phone holder \cdot With LED night light

BL-1505



Rest reminder for reading

- Short press to set rest reminder, works in 30 mins
- Long press to test reminder function,lamp will flash in 5 seconds.
- A flow metodor A CCT A Singuishming ON/OFF Mode
 - Short press to adjust CCT

phone holder

- Short press for 3 steps dimming
- ▲ Long press to turn on/off ight light

pen holder







Size: 190*160*310mm (6PCS): 500*395*330mm

Portected by patent if initated will be investingated Doign putent ortificate number: 202230449823.8

ject to the color in production at that time, if colour of product above has been changed. UG

Three color temperature \cdot Double dimming function \cdot Rest reminder for reading \cdot With LED night light

Pink

BL-1616

Three color temperature \cdot Double dimming function \cdot Rest reminder for reading \cdot With LED night light

BL-1616





LED Illuminated touch buttons


Rest reminder for reading

- Short press to set rest reminder,works in 30 mins
- Long press to test reminder function,lamp will flash in 5 seconds.



- Short press to adjust CCT
- ♣ Short press for 3 steps dimming
- Long press to turn on/off night light
- ▲ Long press for stepless dimming







Size: 190*160*300mm (6PCS): 500*395*320mm

spect to the color in production of that friend.

Subject to the color in production at that friend.

Subject to the color in production at that friend.

The color of product above that been thinged.

Three color temperature · Double dimming function · Rest reminder for reading · With pen & phone holder With LED night light

BL-1525 Power: 8W Voltage: AC100-240V, DC12V Colour Temp: 3000K-4000K-6500K (±300K) Lumen: 500 Max CRI: ≥80a Blue White


Three color temperature \cdot Double dimming function \cdot Rest reminder for reading \cdot With pen & phone holder With LED night light

BL-1525



Rest reminder for reading

- Short press to set rest reminder, works in 30 mins
- Long press to test reminder function,lamp will flash in 5 seconds.





- Short press to adjust CCT
- Long press to turn on/off night light

phone holder

- Short press for 3 steps dimming
- Long press for stepless dimming

pen holder







Size: 190*160*310mm (6PCS): 500*395*330mm

Pink

